

**STIGMATIZATION OF MENTAL HEALTH ILLNESS:  
UNDERSTANDING SOCIAL PROCESSES AND IMPLICATIONS  
FOR MENTAL HEALTH CARE**

**Alfred Eboh**

Department of Sociology,  
Faculty of Social Sciences,  
Kogi State University, Anyigba.  
**Email:** ebohalfred@gmail.com  
**Phone:** 07035820720/ 09059622371

**Abstract**

Stigmatization of mental illness is a pervasive social issue with profound implications for mental health care. This study explored the social processes involved in the stigmatization of mental illness and examined its implications for mental health care practices. It discussed the various forms of stigma, including public, self, and structural stigma, and highlighted their impacts on individuals and the society. It critically evaluated the stereotypes, misconceptions, and labeling associated with mental illness, as well as the role of media portrayal in perpetuating stigma. It further analyzed the effects of social distance and fear of individuals with mental illness on treatment outcomes and recovery and emphasized the need for strategies to reduce stigma, including education and awareness campaigns, contact-based programmes, responsible media representation, and cultural competence in mental health services. The study underscored the importance of addressing stigma's influence on mental health professionals and advocates for collaborative efforts to promote mental health care in stigmatized communities. Overall, it highlighted the urgent need to combat stigma to ensure equitable access to mental health care and support the well-being and recovery of individuals with mental illness.

**Keywords:** Implications; Mental health care; Mental illness; Social processes; Stigmatization.

## Introduction

Mental illness stigma refers to the negative attitudes, beliefs, and stereotypes that exist in society surrounding mental health conditions. It involves the social disapproval, discrimination, and marginalization experienced by individuals who are diagnosed with mental illnesses or those who seek mental health treatment. The stigma associated with mental illness poses a significant barrier to the overall well-being of individuals who experience mental health conditions (Fox, Earnshaw, Taverna, & Vogt, 2018). Mental disorders contribute to a substantial portion, approximately 20-25%, of the overall global disease burden (Ahmedani, 2011). This can be attributed to a combination of factors, including the majority of mental disorders manifesting during childhood or adolescence, as well as the wide-ranging effects they have on various aspects of individuals' lives. These impacts encompass areas such as physical health, education, employment, social relationships, crime, violence, and the presence of stigma (Javed, 2023).

This paper focuses on social processes and their implications for mental health care. It examined how social factors, such as stigma, discrimination, and social support, influence individuals' experiences of mental health and their access to appropriate care. It discusses the negative impact of mental illness stigma on individuals, including social exclusion, isolation, and barriers to treatment. It also highlighted the importance of addressing stigma to improve mental health care outcomes and advocated for creating a more supportive and understanding society. It emphasized the need for increased awareness, education, and empathy to challenge negative attitudes and promote an environment that fosters open dialogue and access to quality mental health care. By understanding the social processes at play, this paper underscores the significance of addressing social factors in order to provide effective and equitable mental health care for all.

This paper delves into the pervasive issue of stigmatization surrounding mental illness by thoroughly exploring the underlying social processes that perpetuate the phenomenon. By understanding the origins and mechanisms of stigma, it sought to raise awareness about its profound implications on mental health care and advocated for a more compassionate and inclusive approach to mental health in society. Specifically, the following research questions have been raised:

- (a) How has the historical context influenced the perception of mental illness stigma, and how has it evolved over time?
- (b) What are the different types of mental illness stigma prevalent in society, and how do they manifest in individuals' attitudes and behaviours?
- (c) To what extent does mental illness stigma impact individuals' mental health and well-being, and what are the broader societal implications of this stigma?
- (d) How do social processes, such as media portrayal and public discourse, contribute to the stigmatization of mental illness?
- (e) What are the common stereotypes and misconceptions surrounding mental illness, and how do they perpetuate stigma and hinder effective understanding and support?
- (f) What are the barriers individuals face in seeking help and treatment for mental health conditions due to the stigma associated with mental illness?
- (g) How does mental illness stigma influence mental health professionals' practices, interactions with patients, and overall treatment approaches?

- (h) What are the consequences of mental illness stigma on treatment outcomes and the overall process of recovery for individuals experiencing mental health challenges?

## **Methodology**

The study adopted a Mixed-methods review. It is a type of research review that combines both quantitative and qualitative evidence to address a specific research question or topic. In this approach, researchers integrate findings from different types of studies, including both quantitative and qualitative data sources. The goal of a mixed-methods review is to provide a more comprehensive and nuanced understanding of the research area by drawing on the strengths of both quantitative and qualitative research methodologies. The current study leveraged on the mixed-methods review because of the complex subject of stigmatization of mental illness within some social processes and its implications for mental health care. The major sources of data for this study were internet-based journals, academic theses and textbooks. The published literature materials were sourced from Google scholar machine. The search was strictly guided by the research questions highlighted above. So, any study in the literature that did not align specifically with the stated objectives was excluded.

## **Discussion**

### **Understanding Mental Illness Stigma within a Historical Milieu**

Stigma can be defined as a mark of disgrace, shame, or social disapproval that is associated with a particular characteristic, condition, or identity. In 1963, Erving Goffman first introduced the concept of stigma, defining it as any quality, trait, or feature that leads to the devaluation, tarnishing, or perception of shame or discredit towards an individual (Subu et al., 2021). It involves negative attitudes, beliefs, and stereotypes that society holds toward individuals or groups based on certain attributes, such as race, gender, disability, or in the context of mental health, having a mental illness. According to Fusillo (2022), in ancient Greece, the origins of the concept of stigma can be discerned, wherein it was employed to signify physical marks or signs used to brand or tattoo certain individuals as a means of identifying them as being "different" or as outcasts. In contrast, the custom of tattooing was prevalent in ancient Syria and Egypt even before it became popular in Greece.

Similarly, Luzier (2023) opined that religious tattooing held significant historical significance in Egypt, where some of the oldest preserved tattoos were discovered on Egyptian mummies. Syria also practiced religious tattooing. Interestingly, the Thracians valued self-decorative tattoos as symbols of high social status, reflecting beliefs distinct from those of the Greeks. Over time, the concept of stigma evolved to encompass broader social and psychological aspects, extending beyond physical marks. Presently, it is used to describe the stigma associated with mental health afflictions. The concept is not easily amenable to definition. However, a couple of studies appear to have aligned that stigma is a complex social phenomenon involving labeling, stereotyping, status loss, discrimination, and cognitive separation, which results in reduced life opportunities for the stigmatized individuals within specific power structures (Goffman, 1963; Link & Phelan, 2001; Koschorke et al., 2016;).

Mental health stigma or mental illness stigma refers to the act of shaming, socially disapproving, or discrediting individuals who have a mental health condition (Subu et al., 2021). In a sense, the stigmatization of mental illness has a long history. Fusillo (2022) noted that in ancient civilizations, individuals with mental health conditions were often regarded as

possessed by evil spirits or as being morally flawed. These perceptions led to fear, discrimination, and social exclusion. During the Middle Ages, people with mental illnesses were often labeled as witches, heretics, or dangerous individuals and were subjected to harsh treatments, including imprisonment and torture. The prevailing belief was that mental illness was a result of moral failings or supernatural influences (Bailey, 2010). In the 18th and 19th centuries, as psychiatry emerged as a medical field, individuals with mental illnesses were institutionalized in asylums, which further perpetuated their stigmatization and segregation from mainstream society. They were often treated as objects of curiosity or sources of entertainment for the general public (Kendler, Tabb & Wright, 2022).

It was not until the late 20th century that efforts began to challenge the stigma associated with mental illness and advocated for the rights and well-being of individuals with mental health conditions (Corrigan, Roe & Tsang, 2011). Organizations, activists, and mental health professionals have worked to raise awareness, promote understanding, and combat the negative stereotypes and discrimination that people with mental illnesses face. While progress has been made, stigma surrounding mental health still persists today, albeit in more subtle forms. Efforts continue to combat stigma and promote acceptance, inclusion, and equal access to mental health care for all individuals.

### **Types of Mental Illness Stigma**

Mental illness stigma encompasses three main types: public stigma, self-stigma, and structural stigma, each having distinct implications for individuals with mental health conditions (Subu et al., 2021). Public stigma involves negative attitudes and beliefs held by the general public towards those with mental illnesses. This leads to stereotypes, discrimination, and social exclusion based on misconceptions and misunderstandings about mental health. Consequently, individuals with mental illnesses may face devaluation, marginalization, and prejudice, limiting their opportunities for education, employment, and social interactions. Self-stigma, or internalized stigma, occurs when individuals with mental illnesses internalize negative attitudes and beliefs about their condition (Lucksted & Drapalski, 2015). This results in feelings of shame, low self-esteem, and self-blame, leading to isolation and a reluctance to seek help due to fear of judgment or rejection. Self-stigma hinders engagement in self-care, treatment-seeking, and full participation in society. Structural stigma refers to societal and institutional barriers preventing individuals with mental illnesses from accessing equitable mental health care and support. It involves discriminatory policies, inadequate funding for mental health services, and limited resources. As a result, disparities in healthcare provision, insufficient insurance coverage, and a lack of mental health services in underserved communities reinforce inequalities and impede timely and appropriate care for affected individuals.

### **Prevalence and Impacts of Mental Illness Stigma on Individuals and Society**

The significance of mental illness stigma is far-reaching and has several detrimental effects. It is also significant due to its profound impact on individuals and society as a whole. Also, mental illness stigma continues to be a pervasive issue with significant prevalence as it affects individuals and society. While progress has been made in challenging stigma, it still remains deeply ingrained in many cultures and communities.

It is concerning to acknowledge that, according to the World Health Organization (WHO) in 2001, approximately one-quarter of the world's population has encountered a mental or behavioral disorder during their lifetime. This prevalence is a stark reminder of the significant challenges individuals facing mental health issues encounter. According to Ahmedani (2011), the issue concerning mental health was accountable for roughly 12 percent of the global disease burden. Furthermore, projections indicated that this burden was expected to escalate to 15 percent by the year 2020. This alarming statistic emphasizes the significance of addressing mental health challenges and combating stigma to alleviate the substantial impact on individuals and society at large. Also, mental disorders constitute a significant portion, at least 18%, of the global disease burden, and it is anticipated that the associated annual global costs will reach an alarming US\$6 trillion by the year 2030. Thankfully, there are evidence-based and cost-effective public mental health (PMH) interventions available. These interventions play a vital role in preventing the onset of mental disorders, mitigating the impacts of existing conditions through proper treatment, and promoting mental well-being and resilience.

Despite the existence of such interventions, there remains a distressing reality: only a small fraction of individuals with mental disorders currently receive treatment that meets minimal adequacy standards. This treatment gap highlights the urgent need to address barriers such as mental health stigma, access to services, and proper awareness about available support. (Campion et al., 2022). Studies (Mak & Cheung, 2008; Ahmedani, 2011; Ye et al., 2016; Valery & Prouteau, 2020) have consistently demonstrated the persistence of mental illness stigma across different societies and populations. Research has shown that negative attitudes, stereotypes, and discriminatory behaviours towards individuals with mental illnesses exist among the general public, healthcare professionals, employers, and even within families and social networks (Tanaka et al., 2018). Stigmatizing beliefs can perpetuate misconceptions, fear, and social exclusion, leading to substantial barriers in accessing mental health services and support.

### **Impact of Mental Illness Stigma on Individuals and Society**

Mental illness stigma has far-reaching consequences for individuals and society, acting as a significant barrier to seeking help and appropriate treatment. The reluctance to seek assistance delays intervention, exacerbates symptoms, and negatively impacts overall well-being (Corrigan, Watson, Byrne & Davis, 2005). Stigma also results in social exclusion, reduced social support, and feelings of loneliness, leading to diminished quality of life for affected individuals.

At the broader societal level, mental illness stigma contributes to reduced accessibility of mental health services due to inadequate funding, limited resources, and healthcare disparities. This, in turn, leads to significant economic consequences, including lost productivity, increased healthcare costs, and unemployment. Workplace discrimination and reduced employment opportunities perpetuate these economic burdens (Rua et al., 2023). Moreover, stigma hampers public health efforts by hindering awareness, education, and prevention strategies. The silence surrounding mental health issues prevents open dialogue and stifles the implementation of effective mental health promotion and early intervention programmes (Campion et al., 2020; Javed, 2023).

Family members of individuals with mental illness also experience the impact of stigma. They may feel ashamed and unfairly blamed for their loved one's condition, leading to withdrawal from social interactions (Larson & Corrigan, 2008). Children of individuals with mental illness may face unjust judgments and be perceived as "contaminated" or influenced by their parent's condition (Rössler, 2016). In the past, society's treatment of individuals with mental illnesses was often as severe as the treatment of slaves, reflecting the deeply rooted nature of mental illness stigma (Rössler, 2016). In brief, mental illness stigma has severe consequences for individuals, including barriers to seeking help, social exclusion, and reduced self-esteem. At a societal level, stigma results in limited access to mental health services, economic burdens, and hindrance to public health efforts.

### **Social Processes Contributing to Stigmatization**

Social processes contributing to the stigmatization of mental illness are multi-faceted and complex (Paterson, Backmund, Hirsch & Yim, 2007). While these processes play a significant role in perpetuating stigma, it is important to critically examine them to understand their limitations and potential for negative consequences. Here, the paper critiques some of the key social processes contributing to the stigmatization of mental illness:

(1) **Lack of accurate information and education:** One of the contributing factors to mental illness stigma is the lack of accurate information and widespread misconceptions about mental health conditions. Misunderstandings and sensationalized portrayals in media can reinforce stereotypes and fear (Kitara & Aloyo, 2012; Srivastava, Chaudhury, Bhat & Mujawar, 2018). However, it is crucial to recognize that the dissemination of accurate information alone may not be sufficient to eradicate stigma. The impact of education and awareness campaigns can vary, and they may not effectively address deeply ingrained social attitudes and beliefs.

(2) **Media representation and sensationalism:** Media plays a powerful role in shaping public perceptions of mental illness. Unfortunately, media portrayals often sensationalize and stigmatize mental health conditions, focusing on extreme and violent cases rather than providing a balanced representation of the diverse experiences of individuals with mental illnesses (Wahl, 2003). This can perpetuate stereotypes, instill fear, and contribute to the stigmatization of mental illness. While media has the potential to challenge stigma, it is essential to address the responsibility of media outlets in providing accurate and nuanced portrayals of mental health conditions.

(3) **Labeling and diagnostic practices:** The diagnostic process and labeling of mental illnesses can inadvertently contribute to stigma. The use of diagnostic labels may reinforce stereotypes, promote an "us vs. them" mentality, and create a sense of otherness. Additionally, diagnostic systems have historically been influenced by societal values and cultural biases, which can impact perceptions of mental health conditions. Critics argue that the focus on categorization and pathology within diagnostic practices may oversimplify the complex and varied experiences of individuals with mental illnesses, further perpetuating stigma (Lai, Hong & Chee, 2001; Yang, Lo, WonPat-Borja, Singla, Link & Phillips, 2012; Huggett, Birtel, Awenat, Fleming, Wilkes, Williams & Haddock, 2018).

(4) **Social distancing and fear of contagion:** Stigmatization of mental illness is often fueled by fear and misconceptions about the contagiousness or dangerousness of individuals with mental health conditions. This fear can lead to social distancing, isolation, and discrimination (Kapungwe et al., 2010; da Silva, Pinheiro, Trés & Malloy-Diniz, 2020). However, it is important to challenge these notions by emphasizing that mental illness is not contagious and that individuals with mental health conditions are not inherently dangerous.

(5) **Institutional practices and policies:** Klein, Fair-weather, Lawn, Stallman and Cammell (2021) argued that stigma is perpetuated through structural and institutional practices that discriminate against individuals with mental illnesses. This can include discriminatory policies in healthcare, education, employment, and housing, as well as inadequate funding and resource allocation for mental health services. Addressing institutional stigma requires comprehensive changes in policies, practices, and resource allocation to ensure equitable access to mental health care.

It is important to recognize that challenging mental illness stigma requires a multidimensional approach that goes beyond addressing social processes alone. Efforts should focus on a combination of accurate education, responsible media representation, person-centered approaches to diagnosis and labelling, combating discrimination at the institutional level, and fostering empathy and understanding within communities. By critically examining these social processes and implementing targeted interventions, people can work towards reducing mental illness stigma and creating a more inclusive and supportive society.

### **Stereotypes and Misconceptions about Mental Illness**

Stereotypes and misconceptions about mental illness are prevalent in many societies and contribute to the stigmatization and discrimination of individuals with mental health conditions. These stereotypes and misconceptions are often based on limited understanding, fear, and misinformation. Here are some common stereotypes and misconceptions about mental illness:

(a) **Violent and dangerous:** One of the most significant misconceptions is the belief that individuals with mental illnesses are inherently violent and dangerous. This stereotype is perpetuated by media portrayals that sensationalize rare instances of violence committed by individuals with mental health conditions (Arboleda-Flórez, 2003; Angermeyer & Dietrich, 2006). However, research consistently shows that the vast majority of individuals with mental illnesses is not violent and is more likely to be victims of violence themselves rather than perpetrators.

(b) **Weakness or character flaw:** Another misconception is that mental illness is a sign of personal weakness or a character flaw. This belief suggests that individuals with mental illnesses should be able to overcome their condition through willpower alone (Arboleda-Flórez, 2003). In reality, mental illnesses are complex conditions influenced by various factors, including genetics, biology, environment, and life experiences. Mental health conditions are not a reflection of personal weakness or a lack of character.

(c) **Incurable and untreatable:** Some people hold the belief that mental illnesses are incurable or untreatable. This misconception leads to a sense of hopelessness and discourages individuals from seeking help or accessing appropriate treatment (Kishore, Gupta, Jiloha & Bantman, 2011; Kimotho, 2018; Koschorke et al., 2021). In truth, many mental health conditions are highly treatable, and individuals can experience significant recovery and improved quality of life with proper support, therapy, and medication when necessary.

(d) **Homogeneity of experience:** Another stereotype is the assumption that all individuals with a specific mental health condition have the same experience and exhibit identical symptoms (Oexle & Corrigan, 2018; Vistorte, Ribeiro, Jaen, Jorge, Evans-Lacko & Mari, 2018). This oversimplification overlooks the diversity of experiences within mental health conditions. Each person's journey with mental illness is unique, and symptoms, severity, and coping mechanisms can vary greatly from individual to individual.

(e) **Permanent and lifelong:** There is a misconception that mental illnesses are permanent and lifelong, implying that individuals with mental health conditions cannot lead fulfilling and productive lives (Sheldon, 2011). While some mental health conditions may be chronic, many individuals experience periods of recovery and stability. With appropriate treatment and support, individuals can manage their symptoms, pursue their goals, and lead meaningful lives. Challenging these stereotypes and misconceptions is crucial to combatting mental illness stigma. It requires education, open dialogue, and exposure to diverse narratives and experiences of individuals living with mental health conditions. Promoting empathy, understanding, and accurate information can help break down these misconceptions and contribute to a more compassionate and inclusive society that supports the mental well-being of all its members.

### **Barriers to Seeking Help and Treatment due to Stigma**

Stigma surrounding mental illness can create significant barriers that prevent individuals from seeking help and accessing necessary treatment. These barriers arise from the negative attitudes, stereotypes, and discrimination associated with mental health conditions. Here are some common barriers to seeking help and treatment due to stigma:

(i) **Fear of judgment and discrimination:** Stigma often leads to a fear of being judged, labeled, or discriminated against. Individuals may worry about being perceived as weak, crazy, or incapable if they disclose their mental health concerns. This fear can prevent them from seeking help, as they may anticipate negative reactions from friends, family, colleagues, or society in general (Alvidrez, Snowden & Kaiser, 2008; Yu, Cheng, Fung, Wong & Jia, 2022).

(ii) **Self-stigma and internalized shame:** According to Latalova, Kamaradova and Prasko (2014), stigma can also lead to self-stigmatization, where individuals internalize negative beliefs and stereotypes about mental illness. This self-stigma can erode their self-esteem and confidence, creating feelings of shame and leading them to believe they are undeserving of help or that seeking help is a sign of personal failure (Matthews, 2019).

(iii) **Lack of awareness and mental health literacy:** Limited knowledge and understanding of mental health conditions contribute to the stigma surrounding them. A group of scholars opined that misconceptions, myths, and misinformation can lead individuals to underestimate the severity of their symptoms or dismiss them as personal weaknesses rather than recognizing them as treatable health conditions (Fekih-Romdhane, Chebbi, Sassi & Cheour, 2021; Daehn, Rudolf, Pawils & Renneberg, 2022). This lack of awareness may hinder help-seeking behaviours.

(vi) **Concerns about professional and personal consequences:** Stigma can create concerns about the potential impact on one's professional and personal life. Individuals may fear that seeking help or disclosing their mental health condition could lead to negative repercussions such as discrimination in the workplace, strained relationships, or limitations on future opportunities (Martin, 2010; Corrigan, Druss & Perlick, 2014). These concerns can discourage individuals from reaching out for help.

(v) **Cultural and societal factors:** Stigma surrounding mental illness can be influenced by cultural and societal factors. Different cultures may hold specific beliefs or attitudes towards mental health, which can impact help-seeking behaviours. Cultural norms, values, and the lack of culturally-competent mental health services can contribute to stigma and act as barriers for individuals from diverse backgrounds (Ran et al., 2021).

Addressing these barriers requires a comprehensive approach that includes public awareness campaigns, education on mental health, anti-stigma initiatives, and improved access to quality mental health services. It is essential to create safe, non-judgmental spaces and foster supportive environments that encourage individuals to seek help without fear of stigma or discrimination.

#### **Influence of stigma on Mental Health Professionals and their Practices**

Stigma surrounding mental illness significantly affects mental health professionals and their practices. Despite their training, they may hold stigmatizing beliefs, impacting their interactions with clients and perceptions of their capabilities. Stigma can also influence diagnostic and treatment decisions, potentially leading to misdiagnosis or inadequate care for certain individuals. The therapeutic relationship may suffer, as clients feel judged or invalidated, hindering progress in therapy.

Moreover, mental health professionals may experience self-stigma, fearing disclosure of their own mental health challenges, limiting their ability to empathize with clients. The stigmatized nature of their work can lead to burnout and secondary traumatic stress. To address these issues, awareness, education, and self-reflection within the field are vital. Training programs should emphasize challenging biases, cultural competence, and non-judgmental care. Supportive and inclusive work environments that prioritize professionals' well-being can mitigate stigma's impact. Systemic changes, such as protecting professionals' rights to seek mental health support, are essential. By creating a stigma-free environment, mental health professionals can provide more compassionate and effective care for individuals with mental illness.

Addressing stigma's influence on mental health professionals requires on-going efforts to promote awareness, education, and self-reflection within the field. Professional training programmes should emphasize the importance of recognizing and challenging personal biases,

fostering cultural competence, and promoting empathetic and non-judgmental care. Creating supportive and inclusive work environments that prioritize the well-being of mental health professionals can also help mitigate the impact of stigma on their practices.

### **Consequences of Stigma on Treatment Outcomes and Recovery**

Stigma surrounding mental illness has significant consequences on treatment outcomes and recovery. It leads to delays in seeking treatment and avoidance of mental health care due to fears of judgment and discrimination. Reduced treatment adherence can occur as individuals hide their struggles, resulting in less effective interventions. Stigma erodes self-esteem and self-efficacy, hindering belief in one's ability to recover. Social isolation and lack of support networks intensify loneliness and worsen mental health symptoms. Overall, stigma diminishes the quality of life, limiting opportunities and well-being. Marginalized populations face compounded discrimination, perpetuating treatment disparities. Addressing stigma requires public education, compassionate care from mental health professionals, and policies promoting equal access to mental health care.

### **Conclusion**

The stigmatization of mental illness is a complex social issue that has profound implications for individuals and society as a whole. It stems from deep-rooted stereotypes, misconceptions, and fears surrounding mental health conditions. Stigmatization manifests in various forms, including public, self, and structural stigma, which can perpetuate discrimination, social exclusion, and inequalities in access to mental health care. Understanding the social processes contributing to mental illness stigma is crucial for improving mental health care practices. Stereotypes and misconceptions about mental illness play a significant role in shaping public attitudes and beliefs. Media portrayal, through its influence on public perception, can perpetuate stigma by sensationalizing and reinforcing negative stereotypes. Labeling individuals with mental illness can have adverse effects on their self-perception and treatment experiences.

Social distance and the fear of individuals with mental illness further contribute to stigma by creating barriers to social inclusion and support. This fear can lead to isolation, discrimination, and limited opportunities for individuals seeking mental health care. The implications of social distance and fear for mental health care are far-reaching, impacting treatment outcomes, recovery, and overall well-being.

Reducing mental illness stigma requires concerted efforts from various stakeholders. Strategies to combat stigma include education and awareness campaigns, contact-based programmes, responsible media representation, promoting person-first language, and fostering collaboration and partnerships. Culturally competent services, community engagement, and addressing social determinants of mental health are essential in promoting mental health care in stigmatized communities. It is important to recognize that stigma not only affects individuals with mental illness but also influences mental health professionals and their practices. Mental health professionals should strive to address their own biases, provide non-judgmental care, and create supportive environments within the profession. Combating stigma and its implications for mental health care is a multifaceted endeavour that requires a collective commitment to creating a society that is informed, compassionate, and inclusive. By working

together, people can reduce stigma, improve access to mental health services, and foster a society that supports the well-being and recovery of individuals with mental illness.

## Recommendations

Reducing mental illness stigma requires a multifaceted approach that involves individuals, communities, institutions, and policy-makers. Here are some strategies that can be effective in reducing stigma:

- (1) The government in conjunction with the private sector should develop and promote educational initiatives that provide accurate information about mental health conditions to increase understanding and empathy, targeting schools, workplaces, and communities.
- (2) Media outlets should be encouraged and made to portray mental illness accurately and avoid sensationalism and stigmatizing language. They should promote positive and realistic representations of mental health conditions and recovery journeys.
- (3) Government and civil societies should support and advocate for laws that protect the rights of individuals with mental illness, combat discrimination, and ensure equal access to mental health services and support.
- (4) There should be opportunities and congenial atmosphere for personal interactions between individuals with lived experience of mental illness and the public through storytelling initiatives and peer support groups to humanize mental health conditions and challenge stereotypes.
- (5) Government and other critical stakeholders should provide training and education for mental health professionals to raise awareness of stigma, biases, and cultural competence, promoting non-judgmental attitudes and inclusive care.

It is important to note that these strategies should be implemented in a comprehensive and on-going manner. Reducing stigma is a long-term process that requires sustained efforts to create a society that is compassionate, understanding, and supportive of individuals with mental health conditions. Also, by implementing these practical recommendations, mental health care in stigmatized communities can be improved, leading to a more inclusive and accessible mental health care system for all.

## References

- Ahmedani, B. K. (2011). Mental health stigma: Society, individuals, and the profession. *Journal of Social Work Values and Ethics*, 8(2), 41-416.
- Alvidrez, J., Snowden, L. R., & Kaiser, D. M. (2008). The experience of stigma among Black mental health consumers. *Journal of Health Care for the Poor and Underserved*, 19(3), 874-893.
- Angermeyer, M. C., & Dietrich, S. (2006). Public beliefs about and attitudes towards people with mental illness: a review of population studies. *Acta Psychiatrica Scandinavica*, 113(3), 163-179.
- Arboleda-Flórez, J. (2003). Considerations on the stigma of mental illness. *The Canadian Journal of Psychiatry*, 48(10), 645-650.
- Bailey, M. D. (2010). *Battling Demons: Witchcraft, Heresy, and Reform in the Late Middle Ages*. Pennsylvania: The Pennsylvania State University Press.
- Campion, J., Javed, A., Lund, C., Sartorius, N., Saxena, S., Marmot, M., ... & Udomratn, P. (2022). Public mental health: required actions to address implementation failure in the context of COVID-19. *The Lancet Psychiatry*, 9(2), 169-182.

- Campion, J., Javed, A., Marmot, M., & Valsraj, K. (2020). The need for a public mental health approach to COVID-19. *World Social Psychiatry*, 2(2), 77.
- Corrigan, P. W., Druss, B. G., & Perlick, D. A. (2014). The Impact of Mental Illness Stigma on Seeking and Participating in Mental Health Care. *Psychological Science in the Public Interest*, 15(2), 37–70.
- Corrigan, P. W., Roe, D., & Tsang, H. W. (2011). Challenging the stigma of mental illness: Lessons for therapists and advocates. New Jersey: John Wiley & Sons.
- Corrigan, P. W., Watson, A. C., Byrne, P., & Davis, K. E. (2005). Mental illness stigma as a major obstacle to well-being among people with mental illness. *Social Work*, 50(4), 363-368.
- da Silva, A. G., Pinheiro, M., Trés, L. M., & Malloy-Diniz, L. F. (2020). Working during pandemics: the need for mental health efforts to prevent the outbreak of mental disorders at the workplace. *Brazilian Journal of Psychiatry*, 43, 116-117.
- Daehn, D., Rudolf, S., Pawils, S., & Renneberg, B. (2022). Perinatal mental health literacy: knowledge, attitudes, and help-seeking among perinatal women and the public—a systematic review. *BMC Pregnancy and Childbirth*, 22(1), 1-22.
- Fekih-Romdhane, F., Chebbi, O., Sassi, H., & Cheour, M. (2021). Knowledge, attitude and behaviours toward mental illness and help-seeking in a large nonclinical Tunisian student sample. *Early intervention in psychiatry*, 15(5), 1292-1305.
- Fox, A. B., Earnshaw, V. A., Taverna, E. C., & Vogt, D. (2018). Conceptualizing and measuring mental illness stigma: The mental illness stigma framework and critical review of measures. *Stigma and Health*, 3(4), 348–376. <https://doi.org/10.1037/sah0000104>.
- Fusillo, I. (2022). Tracing stigma: the evolution of the tattoo in the Middle Ages. Honors Theses. 352. [https://ecommons.udayton.edu/uhp\\_theses/352](https://ecommons.udayton.edu/uhp_theses/352).
- Goffman, E. (1963). *Stigma: Notes on the Management of Spoiled Identity*. New York: Prentice Hall.
- Huggett, C., Birtel, M. D., Awenat, Y. F., Fleming, P., Wilkes, S., Williams, S., & Haddock, G. (2018). A qualitative study: experiences of stigma by people with mental health problems. *Psychology and Psychotherapy: Theory, Research and Practice*, 91(3), 380-397.
- Javed, A. (2023). Public Mental Health: an agenda for Action. *Journal of Pakistan Psychiatric Society*, 20(01), 01-06. Retrieved from <https://jpps.pk/index.php/journal/article/view/249>.
- Kalichman, S. (2019). Stigma and prejudice teaching tip sheet. In American Psychological Association. Retrieved from <https://www.apa.org/pi/aids/resources/>
- Kapungwe, A., Cooper, S., Mwanza, J., Mwape, L., Sikwese, A., Kakuma, R., ... & Flisher, A. J. (2010). Mental illness-stigma and discrimination in Zambia. *African Journal of Psychiatry*, 13(3), 192-203
- Kendler, K. S., Tabb, K., & Wright, J. (2022). The emergence of psychiatry. *American Journal of Psychiatry*, 179(5), 329-335.
- Kimotho, S. G. (2018). Understanding the Nature of Stigma Communication Associated with Mental Illness in Africa: A Focus on Cultural Beliefs and Stereotypes. In Y. B. Katrina & R. Donté (Eds.), *De-constructing Stigma in Mental Health* (pp. 20-41). DOI: 10.4018/978-1-5225-3808-0.ch002. Retrieved from <https://www.igi-global.com/chapter/understanding-the-nature-of-stigma-communication-associated-with-mental-illness-in-africa/204078>.
- Kishore, J., Gupta, A., Jiloha, R. C., & Bantman, P. (2011). Myths, beliefs and perceptions about mental disorders and health-seeking behavior in Delhi, India. *Indian journal of Psychiatry*, 53(4), 324.

- Kitara, D. L., & Aloyo, J. (2012). HIV/AIDS stigmatization, the reason for poor access to HIV counseling and testing (HCT) among the youths in Gulu (Uganda). *African Journal of Infectious Diseases*, 6(1), 12-20.
- Klein, P., Fair-weather, A. K., Lawn, S., Stallman, H. M., & Cammell, P. (2021). Structural stigma and its impact on healthcare for consumers with borderline personality disorder: protocol for a scoping review. *Systematic reviews*, 10(1), 1-7.
- Koschorke, M., Evans-Lacko, S., Sartorius, N., & Thornicroft, G. (2016). Stigma in Different Cultures. The Stigma of Mental Illness - End of the Story? 67–82. doi:10.1007/978-3-319-27839-1\_4.
- Koschorke, M., Oexle, N., Ouali, U., Cherian, A. V., Deepika, V., Mendon, G. B., ... & Kohrt, B. A. (2021). Perspectives of healthcare providers, service users, and family members about mental illness stigma in primary care settings: A multi-site qualitative study of seven countries in Africa, Asia, and Europe. *PLoS One*, 16(10), e0258729.
- Lai, Y. M., Hong, C. P. H., & Chee, C. Y. (2001). Stigma of mental illness. *Singapore medical journal*, 42(3), 111-114.
- Larson, J. E., & Corrigan, P. (2008). The Stigma of Families with Mental Illness. *Academic Psychiatry*, 32(2), 87–91. doi:10.1176/appi.ap.32.2.87.
- Latalova, K., Kamaraova, D., & Prasko, J. (2014). Perspectives on perceived stigma and self-stigma in adult male patients with depression. *Neuropsychiatric disease and treatment*, 10, 1399-1405. doi: 10.2147/NDT.S54081
- Link, B. G., & Phelan, J. C. (2001). Conceptualizing stigma. *Annual Review of Sociology*, 27, 363-385.
- Lucksted, A., & Drapalski, A. L. (2015). Self-stigma regarding mental illness: Definition, impact, and relationship to societal stigma. *Psychiatric Rehabilitation Journal*, 38(2), 99–102.
- Luzier, S. (2023). Most Vulgar and Barbarous: A History of Tattoo Stigma. Young Historians Conference. 7. [https://pdxscholar.library.pdx.edu/young\\_historians/2023/papers/7](https://pdxscholar.library.pdx.edu/young_historians/2023/papers/7).
- Mak, W. W., & Cheung, R. Y. (2008). Affiliate stigma among caregivers of people with intellectual disability or mental illness. *Journal of applied research in intellectual disabilities*, 21(6), 532-545.
- Martin, J. M. (2010). Stigma and student mental health in higher education. *Higher Education Research & Development*, 29(3), 259-274.
- Matthews, S. (2019). Self-stigma and addiction. In *The stigma of addiction: An essential guide* (pp. 5-32). Cham: Springer International Publishing.
- Oexle, N., & Corrigan, P. W. (2018). Understanding mental illness stigma toward persons with multiple stigmatized conditions: Implications of intersectionality theory. *Psychiatric Services*, 69(5), 587-589.
- Paterson, B. L., Backmund, M., Hirsch, G., & Yim, C. (2007). The depiction of stigmatization in research about hepatitis C. *International Journal of Drug Policy*, 18(5), 364-373.
- Ran, M. S., Hall, B. J., Su, T. T., Prawira, B., Breth-Petersen, M., Li, X. H., & Zhang, T. M. (2021). Stigma of mental illness and cultural factors in Pacific Rim region: a systematic review. *BMC psychiatry*, 21, 1-16.
- Rössler W. (2016). The stigma of mental disorders: A millennia-long history of social exclusion and prejudices. *EMBO reports*, 17(9), 1250–1253. <https://doi.org/10.15252/embr.201643041>.
- Rua, M., Hodgetts, D., Groot, S., Blake, D., Karapu, R., & Neha, E. (2023). A Kaupapa Māori conceptualization and efforts to address the needs of the growing precariat in Aotearoa New Zealand: A situated focus on Māori. *British Journal of Social Psychology*, 62, 39-55.

- Rüsch, N., Angermeyer, M., & Corrigan, P. (2005). Mental illness stigma: Concepts, consequences, and initiatives to reduce stigma. *European Psychiatry*, 20(8), 529-539. doi:10.1016/j.eurpsy.2005.04.004.
- Sheldon, C. (2011). It's not working: Barriers to the inclusion of workers with mental health issues. Windsor YB Access Just. 29, 163.
- Srivastava, K., Chaudhury, S., Bhat, P. S., & Mujawar, S. (2018). Media and mental health. *Industrial psychiatry journal*, 27(1), 1–5. [https://doi.org/10.4103/ipj.ipj\\_73\\_18](https://doi.org/10.4103/ipj.ipj_73_18).
- Subu, M. A., Wati, D. F., Netrida, N., Priscilla, V., Dias, J. M., Abraham, M. S... Al-Yateem, N. (2021). Types of stigma experienced by patients with mental illness and mental health nurses in Indonesia: a qualitative content analysis. *Int J Ment Health Syst.*, 15, 77. <https://doi.org/10.1186/s13033-021-00502-x>.
- Tanaka, C., Tuliao, M. T. R., Tanaka, E., Yamashita, T., & Matsuo, H. (2018). A qualitative study on the stigma experienced by people with mental health problems and epilepsy in the Philippines. *BMC psychiatry*, 18, 1-13.
- Valery, K. M., & Prouteau, A. (2020). Schizophrenia stigma in mental health professionals and associated factors: A systematic review. *Psychiatry research*, 290, 113068.
- Vistorte, A. O. R., Ribeiro, W. S., Jaen, D., Jorge, M. R., Evans-Lacko, S., & Mari, J. D. J. (2018). Stigmatizing attitudes of primary care professionals towards people with mental disorders: A systematic review. *The International Journal of Psychiatry in Medicine*, 53(4), 317-338.
- Wahl, O. F. (2003). News media portrayal of mental illness: Implications for public policy. *American Behavioral Scientist*, 46(12), 1594-1600.
- Yang, L. H., Lo, G., WonPat-Borja, A. J., Singla, D. R., Link, B. G., & Phillips, M. R. (2012). Effects of labeling and interpersonal contact upon attitudes towards schizophrenia: implications for reducing mental illness stigma in urban China. *Social psychiatry and psychiatric epidemiology*, 47, 1459-1473.
- Ye, J., Chen, T. F., Paul, D., McMahon, R., Shankar, S., Rosen, A., & O'Reilly, C. L. (2016). Stigma and discrimination experienced by people living with severe and persistent mental illness in assertive community treatment settings. *International Journal of Social Psychiatry*, 62(6), 532-541.
- Yu, M., Cheng, S., Fung, K. P. L., Wong, J. P. H., & Jia, C. (2022). More than mental illness: Experiences of associating with stigma of mental illness for Chinese college students. *International Journal of Environmental Research and Public Health*, 19(2), 864.